AECOM
12420 Milestone Center Drive #150
Germantown, Maryland 20876
www.aecom.com

Memorandum

To	Alex Haptemariam, City of Alexandria	Pages	6
CC	Brandon Alderman, AECOM		
Subject	Wetland Delineation Memorandum Taylor Run Infrastructure Stabilization Project Alexandria, Virginia		
From	Sean Bernheisel/Lauren Palmieri, AECOM Environmental Specialist		
Date	April 17, 2025 (REV: October 2026)		

Introduction

The City of Alexandria has retained the services of AECOM to provide design, engineering and construction support related to the above referenced project. The project includes stabilization and channel modifications to the Taylor Run stream to address areas of active erosion, protect existing stormwater and sanitary sewer infrastructure, and improve overall stream stability. The proposed actions have been divided into four distinct areas, each addressing specific infrastructure vulnerabilities. A wetland and Waters of the U.S. (WUS) delineation was conducted within a study area that incorporates the four distinct areas and beyond, to capture all locations of potential access which may be required to complete the project. The study area is roughly located between Chinquapin Drive and King Street and is approximately 8.08 acre (**Figure 1**).


Figure 1: Project Location Map



Published Resource Review

Taylor Run is within the Mid-Atlantic Region within the Middle Potomac-Anacostia-Occoquan (HUC8: 02070010), Cameron Run-Potomac River (HUC10:0207001003), and Cameron Run (HUC12: 020700100302) watersheds. The stream discharges into Holmes Run, which ultimately flows into the Potomac River and then the Chesapeake Bay. The City of Alexandria local data viewer also identifies The study area is located on Federal Emergency Management Administration Flood Insurance Rate Map (FEMA FIRM) panel: 5155190029F (effective date January 11, 2024) which shows the area is located within a mapped FEMA 100-year floodplain, Zone AE, associated with Taylor Run (**Figure 2**). National Wetland Inventory (NWI) data identifies Taylor Run as a riverine system (R5UBH) with an associated 0.27 acre linear freshwater forested/shrub wetland habitat (PFO1A). Dominant soils within the study area are Sassafras-Neabsco complex soils and are not classified as hydric.

Figure 2: Floodplain Map



Methodology

A wetland and WUS delineation has been completed in accordance with the U.S. Army Corps of Engineers (USACE) *Wetland Delineation Manual* (USACE, 1987) and the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Atlantic and Gulf Coastal Plain Region Version 2.0* (USACE, 2010), which describe the three-parameter approach to delineating typical wetlands (hydrophytic vegetation, hydric soils, and wetland hydrology) and the approach for delineating atypical wetlands.

AECOM used the *Field Indicators of Hydric Soils in the United States* Version 9.0, (USDA NRCS, 2024) and the *Atlantic Gulf and Coastal Plain Region 2022 National Wetland Plant List* (USACE, 2020) to further determine the presence of hydric soil indicators and the wetland indicator status of plants, respectively, within the study area. Wetland boundaries were located using sub-meter accuracy global positioning system (GPS) equipment. Wetland and upland determination data points were collected in the field to support the upland/wetland boundary determination. Delineated resources were classified in accordance with the *Classification of Wetlands and Deepwater Habitats of the United States* (USFWS, 1979), commonly referred to as the Cowardin Classification System.

Results

On April 6, 2026 AECOM Environmental Scientists delineated one palustrine emergent wetland (PEM), two palustrine forested wetlands (PFO), one perennial WUS, one intermittent WUS, and multiple ephemeral drainage channels. **Attachment A** contains the wetland delineation resource maps, and **Attachment B** contains upland and wetland determination data sheets, **Attachment C**

contains a photographic log of identified resources, and **Attachment D** contains the Soil Report. The following provides a summary description of regulated resources identified within the study area.

INT 1

INT 1 (R4SB5) is an unnamed intermittent tributary to Taylor Run located within Chinquapin Park along the right downstream bank of Taylor Run. The channel originates at the southeastern edge of WET C, where sheet flow moves through the wetland and concentrates at a root grade control to form a defined channel. From there, the stream flows beneath a pedestrian footbridge and discharging into Taylor Run. Flow within the channel is supported by seepage from WET C as well as overland runoff from the adjacent trail. The substrate consists primarily of silt and cobble, particularly where the channel enters Taylor Run. Stream banks are moderately defined at the point of entry. INT 1 received a total of 22 points under the Fairfax County stream assessment protocol and 27.5 points under the NCDWQ methodology (following a delineation in 2020), indicating that the feature functions as an intermittent stream[1].

TAYLOR RUN (2,040 LF)

Taylor Run, an R5UB1 perennial stream, flows generally northwest to southeast through the study area. The stream daylights through a 72-inch RCP in the northwest and exits the study area through twin 60-inch RCPs under a parking lot for the adjacent First Baptist Church of Alexandria. A sanitary sewer line which runs through Chinquapin Park crosses Taylor Run just before the stream flows onto church property.

The stream receives flow from a variety of sources including groundwater, overland flow, one intermittent channel, several ephemeral channels, and multiple stormwater outfalls. The channel substrate varies throughout its length within the study area. Within Chinquapin Park, upstream of the sanitary sewer crossing, the substrate consists of riprap, boulders, and concrete structures with some cobble and sand. Downstream of the sanitary sewer, within the church property, the substrate consists of cobble, sand, and silt. A large debris pile, consisting of large trees, limbs, and other debris constricts flow before the stream enters the twin 60-inch RCPs.

The stream corridor is primarily forested with woody vegetation extending to the top of the banks. Despite the forested buffer there is evidence of scour, with vertical banks exceeding 10 feet high in many locations. The stream channel ranges from 10 to 20 feet wide and water depths range from 2 inches to greater than 2 feet in the scour pool below the 72-inch RCP.

WET A (1,021 ft²)

WET A is a PFO wetland located at the northwestern end of Chinquapin Park along the west side of an existing pedestrian trail. The wetland tree stratum is dominated by red maple (*Acer rubrum*); the sapling shrub stratum by slippery elm (*Ulmus rubra*) and sweet gum (*Liquidambar styraciflua*) and the woody vine stratum is dominated by poison ivy (*Toxicodendron radicans*) and Virginia creeper (*Parthenocissus quinquefolia*). Hydrology indicators include presence of reduced iron and geomorphic position. The soil profile meets the criteria of an F3 Depleted Matrix hydric soil indicator with a matrix at least 6 inches thick with 60% or more having a chroma 2 or less within the first 10 inches of the soil surface. There are prominent redox concentrations overall.

[1] Stream assessment forms were not completed during this 2026 delineation.

WET B (1,996 ft²)
WET B is a PEM wetland located at a large footbridge along the west side of the trail through Chinquapin Park. The wetland tree stratum has a few scattered tulip poplar (*Liriodendron tulipifera*) comprising no more than 5% of the total vegetation within the wetland sample plot and the woody vine stratum is dominated by poison ivy. Approximately 20% of the wetland is not vegetated. Hydrology indicators include presence of reduced iron, a sparsely vegetated concave surface, and geomorphic position. The soil profile meets the criteria of an F3 Depleted Matrix hydric soil indicator with a matrix at least 6 inches thick with 60% or more chroma 2 or less within the first 10 inches of the soil surface.

WET C (13,546 ft²)
WET C is a PFO acid seepage wetland located about 1,000 feet from the trail entrance within an area of relatively undisturbed forest along the west side of the trail. A spur trail to the Chinquapin Park Community Gardens diverges from the main trail at the southern end of this wetland. The wetland tree stratum is dominated by red maple and tulip poplar (*Liriodendron tulipifera*) comprising approximately 15% of the total vegetation within the wetland sample plot. The wetland shrub/sapling stratum is dominated by black gum (Nyssa sylvatica), red maple, and arrowwood (*Viburnum dentatum*) and and the wetland herbaceous stratum is dominated by skunk cabbage (*Symplocarpus foetidus*) and fowl mann grass (*Glyceria striata*). Hydrology indicators include surface water, a high water table, water-stained leaves, geomorphic position, FAC-Neutral test, and drainage patterns. The soil profile meets the criteria of a Histosol (A1).

Conclusion
AECOM conducted a field delineation of wetlands and WUS within the Taylor Run study area on April 6 of 2026. This delineation provided confirmation of wetland and WUS boundaries from the previous delineation. During previous review, the USACE-Norfolk District determined WETA and WETC are regulated wetlands and Taylor Run, INT1, EPH3 and EPH 6 are regulated waters. At this time, the USACE considered WET B to be disturbed and did not satisfy hydric soil parameters. However, invesigations in 2026 reveal no disturbance and soils to exhibit hydric conditions. Concurrence from the USACE regarding the jurisdictional status of this wetland will be sought through the Joint Permit Application process. Proposed access to the site, limits of disturbance, and identified construction staging areas are able to avoid impacts to identified resources. Erosion and sediment control best management practices are recommended around the limits-of-disturbance to these resources and potential drainage/discharge into Taylor Run.

Appendix A: Figures

Taylor Run Stream Restoration Project Location Map – 4/6/2026



CLEVELAND ST

KING ST

QUINCY ST

CHINQUAPIN PARK

72" RCP

15" RCP

TAYLOR RUN

Perennial - 2040 LF

10" PVC

WETA
PFO
1,021 SF/ 0.02 AC

36" RCP

Foot Bridge

CHINQUAPIN DR

CONCRETE DITCH

36" CMP

SCROGGINS RD

WETB
PEM
1,996 SF/ 0.05 AC

KING ST

EPH1
Ephemeral
105 LF

12" CMP

21" RCP

MATCHLINE TO SHEET 2

Study Area

Stream Flow Direction Indicator

Stream Line

AECOM Delineated Wetland

Resource Protection Area

Storm Drain

FEMA 100 Year Floodplain

Wetland Data Point

Upland Data Point

Trails

Bridge Structure


Park Boundary

Sanitary Sewer

1 inch = 100 feet

0 50 100 200 Feet

Vicinity Map



Taylor Run
City Of Alexandria, Virginia
Environmental Field Survey
Wetland and Waters of the U.S. Delineation

AECOM

Note: UTILITY FEATURE LOCATIONS
ARE APPROXIMATE
NOT INTENDED FOR DESIGN
UTILITY NETWORK MAY BE INCOMPLETE

MATCHLINE TO SHEET 1

CHINQUAPIN DR

Foot Bridge

CONCRETE DITCH

27" RCP

24" RCP

EPH2
Ephemeral
109 LF

KING ST

Foot Bridge

INT1
Intermittent
48 LF

WETC
PFO
13,546 SF/ 0.31 AC

Foot Bridge

15"PVC

EPH3
Ephemeral
72 LF

ROAN LN

EPH4
Ephemeral
43 LF

EPH5
Ephemeral
17 LF

EPH6
Ephemeral
66 LF

CONCRETE DITCH

TAYLOR RUN

15" RCP

Perennial
-2040 LF

EPH7
Intermittent
70 LF

CHINQUAPIN PARK

60" RCP (X2)

NOTE: Taylor Run and Resource Protection Area Continues South Past Project Study Area

Study Area
Stream Flow Direction Indicator
Stream Line
AECOM Delineated Wetland
Resource Protection Area
Storm Drain

FEMA 100 Year Floodplain
Wetland Data Point
Upland Data Point
Trails
Bridge Structure
Park Boundary
Sanitary Sewer

Ü
1 inch = 100 feet

0 50 100 200 Feet

Vicinity Map



Taylor Run
City Of Alexandria, Virginia
Environmental Field Survey
Wetland and Waters of the U.S. Delineation

AECOM

Note: UTILITY FEATURE LOCATIONS ARE APPROXIMATE
NOT INTENDED FOR DESIGN
UTILITY NETWORK MAY BE INCOMPLETE

Appendix B: Photograph Log

PHOTOGRAPHIC LOG

Project Site: Taylor Run Stream Stabilization, City of Alexandria, Virginia


Project No.: 60742359

Photograph No.: 01	**Date:** 4/6/2026	**Photograph No.:** 02	**Date:** 4/6/2026
Direction photograph taken: Northwest **Description:** Upland C facing upstream between King Street and WET C.		**Direction photograph taken:** Southeast **Description:** Upland C facing downstream between King Street and WET C.	





Photograph No.: 03	**Date:** 4/6/2026	**Photograph No.:** 04	**Date:** 4/6/2026
Direction photograph taken: Northwest **Description:** WET C adjacent to pedestrian trail and west of Taylor Run.		**Direction photograph taken:** South **Description:** WET C hydrology and concave surface.	





Project Site: Taylor Run Stream Stabilization, City of Alexandria, Virginia


Photograph No.: 05	**Date:** 4/6/2026
Direction photograph taken: West **Description:** UPL B facing west adjacent to pedestrian trail and west of Taylor Run.	



Photograph No.: 06	**Date:** 4/6/2026
Direction photograph taken: East **Description:** UPL B facing east.	



Photograph No.: 07	**Date:** 4/6/2026
Direction photograph taken: Northwest **Description:** WET A facing northwest adjacent to pedestrian trail and west of Taylor Run.	



Photograph No.: 08	**Date:** 4/6/2026
Direction photograph taken: Northeast **Description:** View of Taylor Run manhole repair location facing northeast.	



Project Site: Taylor Run Stream Stabilization, City of Alexandria, Virginia

Photograph No.: 09	**Date:** 4/6/2026

Direction photograph taken: Northeast
Description: Taylor Run facing downstream.



Photograph No.: 10	**Date:** 4/6/2026

Direction photograph taken: Southwest
Description: UPL A facing southwest away from the pedestrian trail and Taylor Run.




Photograph No.: 11	**Date:** 4/6/2026

Direction photograph taken: None
Description: UPL A facing southeast adjacent to pedestrian trail.



Photograph No.: 12	**Date:** 4/6/2026

Direction photograph taken: Northeast
Description: WET B facing northeast towards pedestrian bridge.



Project Site: Taylor Run Stream Stabilization, City of Alexandria, Virginia

Photograph No.: 13 | **Date:** 4/6/2026

Direction photograph taken: South
Description: WET B facing east towards pedestrian bridge.



Appendix C: USACE Wetland Determination Data Forms

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Restoration City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: VA Sampling Point: UPL A

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): none Slope (%): 0-1

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: -38.8227190 Long: 77.0819180 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL A

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Ulmus americana*	10	Yes	FAC
2.			
3.			
4.			
5.			
6.			
	10	=Total Cover	
50% of total cover: 5	20% of total cover: 2		
Sapling Stratum (Plot size: 30' diameter)			
1. *Prunus serotina*	3	No	FACU
2. *Juniperus virginiana*	5	No	FACU
3. *Acer rubrum*	25	Yes	FAC
4.			
5.			
6.			
	33	=Total Cover	
50% of total cover: 17	20% of total cover: 7		
Shrub Stratum (Plot size: 30' diameter)			
1.			
2.			
3.			
4.			
5.			
6.			
		=Total Cover	
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 30' diameter)			
1. *potentilla indica*	10	No	FACU
2. *Toxicodendron radicans*	5	No	FAC
3. *Viola sororia*	70	Yes	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	85	=Total Cover	
50% of total cover: 43	20% of total cover: 17		
Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Parthenocissus quinquefolia*	3	Yes	
3. *Rubus allegheniensis*	2	Yes	UPL
4.			
5.			
	5	=Total Cover	
50% of total cover: 3	20% of total cover: 1		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 60.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	110	x 3 =	330
FACU species	18	x 4 =	72
UPL species	2	x 5 =	10
Column Totals:	130 (A)		412 (B)
Prevalence Index = B/A =			3.17

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: UPL A

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 4/3	100					Mucky Loam/Clay	silt loam
5-18	10YR 4/3	55					Mucky Loam/Clay	silt loam
	10YR 5/6	35						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
- ___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Coast Prairie Redox (A16) **(MLRA 149A)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
- ___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ___ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Restoration City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: VA Sampling Point: UPL B

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): none Slope (%): 0-1

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: -38.8217013 Long: 77.0808220 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: UPL B

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liriodendron tulipifera*	20	Yes	FACU
2.			
3.			
4.			
5.			
6.			
	20	=Total Cover	
50% of total cover: 10	20% of total cover: 4		
Sapling Stratum (Plot size: 30' diameter)			
1. *Liriodendron tulipifera*	25	Yes	FACU
2. *Acer negundo*	10	Yes	FAC
3. *Fraxinus pennsylvanica*	2	No	FACW
4.			
5.			
6.			
	37	=Total Cover	
50% of total cover: 19	20% of total cover: 8		
Shrub Stratum (Plot size: 30' diameter)			
1.			
2.			
3.			
4.			
5.			
6.			
		=Total Cover	
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 30' diameter)			
1. *Reynoutria japonica*	10	No	UPL
2. *Toxicodendron radicans*	2	No	FAC
3. *Viola sororia*	15	Yes	FAC
4. *Allium vineale*	25	Yes	
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	52	=Total Cover	
50% of total cover: 26	20% of total cover: 11		
Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Parthenocissus quinquefolia*	3	No	
3.			
4.			
5.			
	3	=Total Cover	
50% of total cover: 2	20% of total cover: 1		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 40.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)
Prevalence Index = B/A =	

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: UPL B

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 4/2	100					Loamy/Clayey	organic loam
8-12	10YR 5/6	100					Mucky Loam/Clay	silt loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (**MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
- ___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Coast Prairie Redox (A16) **(MLRA 149A)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
- ___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ___ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Restoration City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: VA Sampling Point: UPL C

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 0-1

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: 38.8203013 Long: -77.099058 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes X	No 3	Depth (inches): ____
Water Table Present?	Yes X	No 10	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL C

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Platanus occidentalis*	15	Yes	FACW
2. *Acer rubrum*	15	Yes	FAC
3. *Liriodendron tulipifera*	10	Yes	FACU
4.			
5.			
6.			
	40	=Total Cover	
50% of total cover: 20	20% of total cover: 8		

Sapling Stratum (Plot size: 30' diameter)			
1. *Ulmus americana*	5	Yes	
2. *Linderia benzoin*	3	Yes	
3.			
4.			
5.			
6.			
	8	=Total Cover	
50% of total cover: 4	20% of total cover: 2		

Shrub Stratum (Plot size: 30' diameter)			
1.			
2.			
3.			
4.			
5.			
6.			
		=Total Cover	
50% of total cover:	20% of total cover:		

Herb Stratum (Plot size: 30' diameter)			
1. *Euonymus fortunei*	40	Yes	UPL
2. *Parthenocisus quinquefolia*	1	No	
3. *Galium aparine*	5	No	FACU
4. *Duchesnea indica*	3	No	
5.	1	No	FACU
6. *Allaria petiolata*			
7.			
8.			
9.			
10.			
11.			
	50	=Total Cover	
50% of total cover: 25	20% of total cover: 10		

Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Rubus pensilvanicus*	3	Yes	
3. *Smilax rotundifolia*	5	Yes	FAC
4.			
5.			
	8	=Total Cover	
50% of total cover: 4	20% of total cover: 2		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 8 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 37.5% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	15	x 2 =	30
FAC species	20	x 3 =	60
FACU species	16	x 4 =	64
UPL species	40	x 5 =	200
Column Totals:	91 (A)		354 (B)
Prevalence Index = B/A =			3.89

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: UPL C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 3/2	100					Mucky Loam/Clay	organic loam
4-14	10YR 5/4	60					Mucky Loam/Clay	
	10YR 3/2	40					Mucky Loam/Clay	
15-18	10YR 5/4	100					Loamy/Clayey	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
- ___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Coast Prairie Redox (A16) **(MLRA 149A)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
- ___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ___ **No** X

Remarks:

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Stabilization City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: MD Sampling Point: WET A

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 0-1

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: -38.8224016 Long: 77.0814420 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X No ____	
Wetland Hydrology Present?	Yes X No ____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- X Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: WET A

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer rubrum*	30	Yes	FAC
2.			
3.			
4.			
5.			
6.			
	30	=Total Cover	
50% of total cover: 15		20% of total cover: 6	

Sapling Stratum (Plot size: 30' diameter)			
1. *Ulmus rubra*	3	No	FAC
2. *Liquidambar styraciflua*	1	No	FAC
3.			
4.			
5.			
6.			
	4	=Total Cover	
50% of total cover: 2		20% of total cover: 1	

Shrub Stratum (Plot size: 30' diameter)			
1.			
2.			
3.			
4.			
5.			
6.			
		=Total Cover	
50% of total cover:		20% of total cover:	

Herb Stratum (Plot size: 30' diameter)			
1. *Ulmus rubra*	1	No	FAC
2. *Liriodendron tulipifera*	3	No	FACU
3. *Lindera benzoin*	1	No	FACW
4. *Toxicodendron radicans*	10	Yes	FAC
5. *Ulmus americana*	5	Yes	FAC
6.			
7.			
8.			
9.			
10.			
11.			
	20	=Total Cover	
50% of total cover: 10		20% of total cover: 4	

Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Parthenocissus quinquefolia*	3	No	
3.			
4.			
5.			
	3	=Total Cover	
50% of total cover: 2		20% of total cover: 1	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	1	x 2 =	2
FAC species	50	x 3 =	150
FACU species	3	x 4 =	12
UPL species	0	x 5 =	0
Column Totals:	54 (A)		164 (B)
Prevalence Index = B/A =			3.04

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: WET A

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-18	10YR 3/2	80	5YR 4/4	20	C		Mucky Loam/Clay	Prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**
___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
X Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Coast Prairie Redox (A16) **(MLRA 149A)**
___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
___ Red Parent Material (F21)
___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** ____

Remarks:

The presence of a reduced matrix within 12 inches of the soil surface indicates that this soil is hydric based on the hydric soil definition: "a soil that formed under conditions of saturation, flooding or ponding long enough during the growing season to develop anaerobic conditions in the upper part".

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Stabilization City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: MD Sampling Point: WET B

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 2

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: -38.8221323 Long: 77.0811171 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X No ____	
Wetland Hydrology Present?	Yes X No ____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- X Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No X	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Five Strata) – Use scientific names of plants. Sampling Point: WET B

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liriodendron tulipifera*	5	Yes	FACU
2.			
3.			
4.			
5.			
6.			
	5	=Total Cover	
50% of total cover: 3	20% of total cover: 1		
Sapling Stratum (Plot size: 30' diameter)			
1.			
2. *Acer rubrum*	10	Yes	FAC
3. *Ilex opaca*	8	Yes	FAC
4. *Prunus serotina*	3	No	FACU
5.			
6.			
	21	=Total Cover	
50% of total cover: 11	20% of total cover: 5		
Shrub Stratum (Plot size: 30' diameter)			
1.			
2.			
3.			
4.			
5.			
6.			
		=Total Cover	
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 30' diameter)			
1. *Toxicodendron radicans*	25	Yes	FAC
2. *Hemerocallis fulva*	5	No	UPL
3. *Ulmus americana*	1	No	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	31	=Total Cover	
50% of total cover: 16	20% of total cover: 7		
Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Parthenocissus quinquefolia*	15	Yes	
3.			
4.			
5.			
	15	=Total Cover	
50% of total cover: 8	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 60.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: WET B

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-18	10YR 4/2	75	2.5YR 4/6	25			Loamy/Clayey	refusal at 12"

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (**MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- X Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
- ___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Coast Prairie Redox (A16) **(MLRA 149A)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
- ___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** ____

Remarks:

The presence of a reduced matrix within 12 inches of the soil surface indicates that this soil is hydric based on the hydric soil definition: "a soil that formed under conditions of saturation, flooding or ponding long enough during the growing season to develop anaerobic conditions in the upper part".

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region
See ERDC/EL TR-10-20; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Taylor Run Stream Stabilization City/County: City of Alexandria Sampling Date: 4/6/2026

Applicant/Owner: City of Alexandria State: MD Sampling Point: WET C

Investigator(s): Sean Bernheisel, Lauren Palmieri Section, Township, Range:

Landform (hillside, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 0-1

Subregion (LRR or MLRA): LRR T, MLRA 153B Lat: -38.8217260 Long: 77.0808281 Datum: NAD83

Soil Map Unit Name: Sassafras-Neabsco complex, 2 to 7 percent slopes (92B) NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X No ____	
Wetland Hydrology Present?	Yes X No ____	

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- X Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- X Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- X Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- X FAC-Neutral Test (D5)
- ___ Sphagnum Moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes X	No 3	Depth (inches): ____
Water Table Present?	Yes X	No 10	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Iron reduction present in standing water ~10 ft east from sampling point. The site is situated at the toe of slope and within floodplain and limits of manmade stormwater management facility.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: WET C

Tree Stratum (Plot size: 30' diameter)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Acer rubrum*	10	Yes	FAC
2. *Liriodendron tulipifera*	15	Yes	FACU
3.			
4.			
5.			
6.			
	25	=Total Cover	
50% of total cover: 13		20% of total cover: 5	

Sapling Stratum (Plot size: 30' diameter)			
1. *Acer rubrum*	5	Yes	FAC
2. *Nyssa sylvatica*	5	Yes	FAC
3.			
4.			
5.			
6.			
	10	=Total Cover	
50% of total cover: 5		20% of total cover: 2	

Shrub Stratum (Plot size: 30' diameter)			
1. *Viburnum dentatum*	20	Yes	FAC
2. *Clethra alnifolia*	15	Yes	FACW
3.			
4.			
5.			
6.			
	35	=Total Cover	
50% of total cover: 18		20% of total cover: 7	

Herb Stratum (Plot size: 30' diameter)			
1. *Symplocarpus foetidus*	20	Yes	OBL
2. *Onoclea sensibilis*	5	No	FACW
3. *Athyrium filix-femina*	2	No	UPL
4. *Clethra alnifolia*	3	No	FACW
5. *Glyceria striata*	20	Yes	OBL
6.			
7. *Impatiens capensis*	1	No	FACW
8.			
9.			
10.			
11.			
	51	=Total Cover	
50% of total cover: 26		20% of total cover: 11	

Woody Vine Stratum (Plot size: 30' diameter)			
1.			
2. *Parthenocissus quinquefolia*	1	Yes	
3. *Rosa multiflora*	2	Yes	FACU
4. *Smilax rotundifolia*	2	Yes	FAC
5.			
	5	=Total Cover	
50% of total cover: 3		20% of total cover: 1	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 8 (A)

Total Number of Dominant Species Across All Strata: 11 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 72.7% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	40	x 1 =	40
FACW species	24	x 2 =	48
FAC species	42	x 3 =	126
FACU species	17	x 4 =	68
UPL species	2	x 5 =	10
Column Totals:	125 (A)		292 (B)

Prevalence Index = B/A = 2.34

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: WET C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-18	10YR 3/2	100					Loamy/Clayey	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- X Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) (**MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Barrier Islands 1 cm Muck (S12) **(MLRA 153B, 153D)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 149A, 153C, 153D)**
- ___ Very Shallow Dark Surface (F22) **(MLRA 138, 152A in FL, 154)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Coast Prairie Redox (A16) **(MLRA 149A)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, T)**
- ___ Anomalous Bright Floodplain Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (F22) **(outside MLRA 138, 152A in FL, 154)**
- ___ Barrier Islands Low Chroma Matrix (TS7) **(MLRA 153B, 153D)**
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** ____

Remarks:

Appendix D: USDA NRCS Web Soil Survey

United States Department of Agriculture

NRCS

Natural Resources Conservation Service

A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Alexandria City, Virginia

Taylor Run Stream Restoration Soil Report



April 14, 2026

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface.....2
How Soil Surveys Are Made.....5
Soil Map.....8
Soil Map.....9
Legend.....10
Map Unit Legend.....11
Map Unit Descriptions.....11
Alexandria City, Virginia.....13
66—Kingstowne sandy clay loam, 0 to 45 percent slopes.....13
92B—Sassafras-Neabsco complex, 2 to 7 percent slopes.....14
95—Urban land.....15
References.....17

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map



Map Scale: 1:2,670 if printed on A portrait (8.5" x 11") sheet.

N

Meters: 0 35 70 140 210

Feet: 0 100 200 400 600

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 18N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:12,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Alexandria City, Virginia
Survey Area Data: Version 15, Sep 5, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Mar 1, 2023—Sep 1, 2023

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
66	Kingstowne sandy clay loam, 0 to 45 percent slopes	0.7	8.9%
92B	Sassafras-Neabsco complex, 2 to 7 percent slopes	7.0	87.0%
95	Urban land	0.3	4.2%
Totals for Area of Interest		**8.1**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The

delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Alexandria City, Virginia

66—Kingstowne sandy clay loam, 0 to 45 percent slopes

Map Unit Setting

National map unit symbol: 226lt
Landscape: Coastal plains
Elevation: 0 to 510 feet
Mean annual precipitation: 37 to 49 inches
Mean annual air temperature: 45 to 67 degrees F
Frost-free period: 185 to 212 days
Farmland classification: Not prime farmland

Map Unit Composition

Kingstowne and similar soils: 100 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kingstowne

Setting

Landscape: Coastal plains
Landform: Marine terraces
Landform position (two-dimensional): Backslope, shoulder, summit
Landform position (three-dimensional): Tread
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Earthy fill of fluviomarine deposits

Typical profile

H1 - 0 to 4 inches: sandy clay loam
H2 - 4 to 60 inches: clay loam

Properties and qualities

Slope: 0 to 45 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 24 to 79 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Moderate (about 7.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2e
Hydrologic Soil Group: C
Ecological site: F149AY170MD - Well Drained Fine-Loamy Upland
Hydric soil rating: No

92B—Sassafras-Neabsco complex, 2 to 7 percent slopes

Map Unit Setting

National map unit symbol: 226m5
Landscape: Coastal plains
Elevation: 50 to 390 feet
Mean annual precipitation: 37 to 49 inches
Mean annual air temperature: 45 to 67 degrees F
Frost-free period: 185 to 212 days
Farmland classification: All areas are prime farmland

Map Unit Composition

Sassafras and similar soils: 50 percent
Neabsco and similar soils: 30 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Sassafras

Setting

Landscape: Coastal plains
Landform: Terraces
Landform position (two-dimensional): Summit, shoulder
Landform position (three-dimensional): Tread
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Fluviomarine deposits

Typical profile

H1 - 0 to 9 inches: sandy loam
H2 - 9 to 40 inches: sandy clay loam
H3 - 40 to 70 inches: gravelly sandy loam

Properties and qualities

Slope: 2 to 7 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.20 to 1.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Moderate (about 8.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2e
Hydrologic Soil Group: B
Ecological site: F149AY170MD - Well Drained Fine-Loamy Upland
Hydric soil rating: No

Description of Neabsco

Setting

Landscape: Coastal plains
Landform: Hillslopes
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Fluviomarine deposits

Typical profile

H1 - 0 to 8 inches: loam
H2 - 8 to 17 inches: clay loam
H3 - 17 to 36 inches: loam
H4 - 36 to 52 inches: clay loam
H5 - 52 to 72 inches: very gravelly sandy loam

Properties and qualities

Slope: 2 to 7 percent
Depth to restrictive feature: 14 to 30 inches to fragipan
Drainage class: Moderately well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: About 14 to 30 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Low (about 3.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2e
Hydrologic Soil Group: D
Ecological site: F149AY130NJ - Moist Loamy Upland
Hydric soil rating: No

95—Urban land

Map Unit Setting

National map unit symbol: 226m7
Landscape: Coastal plains
Mean annual precipitation: 28 to 58 inches
Mean annual air temperature: 87 to 89 degrees F
Frost-free period: 175 to 200 days
Farmland classification: Not prime farmland

Map Unit Composition

Urban land: 95 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Urban Land

Setting

Landscape: Coastal plains
Anthropogenic Feature: Urban land

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 8s

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf