

Fort Ward Park Playground Accessibility



Fort Ward Museum & Historic Site

0 200 400 800 Feet



Fort Ward Park Playground Accessibility



Site Key



- A** Retain playground in current location; provide accessible path
- B** Relocate playground to top of hill
- C** Relocate playground to area west of the picnic shelter
- D** Relocate playground to area south of amphitheatre
- E** Relocate playground to area south of area 5

Fort Ward Park Playground Accessibility



Fort Ward Park and Museum Area Management Plan

City of Alexandria, Virginia

Management Plan Boundary	Percent Slope (per ORAR guidelines)
Road or pavement	0% - 5%
Drainage flowlines	5.00000001% - 8.3%
Park Feature	8.30000001% - 10%
Picnic Area	10.00000001% - 80%
Contour 2'	

ORAR* Slope Intervals

* According to the Access Board Outdoor Recreation Access Route (ORAR) Guidelines for Outdoor Developed Areas (Oct. 19, 2009): "1016.7.1 Running Slope. The running slope of any segment of an outdoor recreation access route shall not be steeper than 1:10. Where the running slope of a segment of an outdoor recreation access route is steeper than 1:20, the maximum length of the segment shall be in accordance with Table 1016.7.1, and a resting interval complying with 1016.8 shall be provided at each end of the segment." Slope intervals shown on this map correspond with the slope guidelines for Outdoor Recreation Access Routes indicated above. Slopes steeper than 1:20 (5%) but not steeper than 1:12 (8.3%) can have a maximum segment length of 50 feet. Slopes steeper than 1:12 (8.3%) but not steeper than 1:10 (10%) can have a maximum segment length of 30 feet. Slopes greater than 1:10 (10%) are too steep for outdoor recreation access routes.


Fort Ward Park Playground Accessibility



Site Key

- A** Retain playground in current location; build accessible path
- B** Relocate playground to top of hill
- C** Relocate playground to the area west of the picnic shelter
- D** Relocate playground to area south of amphitheatre
- E** Relocate playground to area south of area 5

Fort Ward Park Playground Accessibility



Fort Ward Museum & Historic Site "The Fort" Community

0 200 400 800 Feet



Fort Ward Park Playground Accessibility




Fort Ward Museum & Historic Site
Shovel Test Pit Survey Artifact Density

0 200 400 800 Feet



Fort Ward Park Playground Accessibility



Fort Ward Park and Museum
Area Management Plan

Potential Soft Path System and
Enhancement Opportunities