



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

NORTHERN REGIONAL OFFICE

13901 Crown Court, Woodbridge, Virginia 22193

(703) 583-3800

www.deq.virginia.gov

Matthew J. Strickler
Secretary of Natural Resources

David K. Paylor
Director

Thomas A. Faha
Regional Director

March 23, 2018

By email: dthomas@eya.com

Receipt Confirmation Requested

Mr. Daryl Thomas
EYA RT Manager, LLC c/o EYA
4800 Hampden Lane, Suite 300
Bethesda, MD 20814

RE: Coverage under the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation, and Hydrostatic Tests
VAG830512
RT South Associates LLC
Robinson Terminal South "Robinson Landing"
2 Duke Street
Alexandria, VA 22314

Dear Mr. Thomas:

We have reviewed your Registration Statement received on January 18, 2018 and determined that the discharge outlined on that statement is hereby covered under the referenced general VPDES permit. The effective date of your coverage under this general permit is the date of this letter. The enclosed copy of the general permit contains the applicable effluent limitations, monitoring requirements and other conditions of coverage.

The permit requires effluent sampling on a monthly basis and reporting on a monthly basis. Discharge Monitoring Reports (DMRs) to report sampling results are enclosed. These DMRs identify the applicable monitoring requirements and effluent limitations for the authorized discharges. You are responsible for making additional copies of the DMR(s) as needed. Separate DMRs must be completed for each permitted outfall and DMRs must be submitted for each outfall regardless of whether a discharge from that outfall occurred during the previous month. If a discharge did not occur from a particular outfall during the previous month, please write "no discharge" on the DMR. You are required to submit completed DMRs by the 10th of each month to:

Please submit completed DMRs to:

Compliance Auditor
Virginia Department of Environmental Quality
Northern Regional Office
13901 Crown Court
Woodbridge, VA 22193-1453

VAG830512
Transmittal Letter
March 23, 2018
Page 2

Information provided on the Registration Statement indicates that wastewater will be discharged through a treatment works. Within 30 days of the date of this letter, you are required to develop and maintain on site an Operation and Maintenance (O&M) Manual for this permitted treatment works (see Part I.B.3 of the Permit).

This general permit will expire on February 25, 2023. The conditions of the permit require that you submit a new registration statement at least 30 days prior to the date of permit expiration if you wish to continue coverage under the permit.

If you wish to terminate permit coverage for inactive outfalls or for the entire site, please fill out the enclosed Termination of Coverage Request form and return it to the attention of Ann Zimmerman at the address listed above.

Please review the enclosed materials carefully. You may contact Ann Zimmerman at 703-583-3805 or via email at Ann.Zimmerman@deq.virginia.gov if you have any questions.

Respectfully,



Bryant Thomas
Regional Water Permits & Planning Manager

cc: Becky Vice, Compliance Auditor via Rebecca.Vice@deq.virginia.gov
David Bookbinder, ECS Mid-Atlantic, LLC via DBookbinder@ecslimited.com
Greg Griffin, EYA via ggriffin@eya.com
Adam Hayes, EYA via ahayes@eya.com
Wyndham Robertson, EYA via wyndhamr@eya.com

Enclosures: Discharge Monitoring Report(s)
Permit Cover Page
Applicable Effluent Limitations and Monitoring Requirements (Part I.A pages)
Parts I.B and II of the Permit
Termination of Coverage Request Form

PERMITTED FACILITY

Robinson Terminal South Robinson Landing
 4800 Hampden Lane Ste 300, Bethesda MD 20814
 Permit Number: VAG830512

**COMMONWEALTH OF VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL QUALITY
 PETROLEUM DISCHARGE PERMIT
 DISCHARGE MONITORING REPORT (DMR)**

RETURN TO

Department of Environmental Quality
 Northern Regional Office
 13901 Crown Court, Woodbridge VA 22193
 (703) 583-3800

No Discharge:

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY

NOTE: READ PERMIT AND GENERAL INSTRUCTIONS BEFORE COMPLETING THIS FORM AND RETURNING IT.

Outfall Num: 001

Reporting Frequency: Month

Run Date: Mar 12, 2018

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX.	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
001 FLOW	REPORTD	*****			*****	*****				
	REQRMNT	*****	NL	GPD	*****	*****			1/M	EST
002 pH	REPORTD	*****	*****			*****				
	REQRMNT	*****	*****		6.0	*****	9.0	SU		1/M
257 PETROLEUM HYDROCARBONS, TOTAL RECOVERABLE	REPORTD	*****	*****		*****	*****				
	REQRMNT	*****	*****		*****	*****	15.0	MG/L		1/M
293 NAPHTHALENE (AS C10H8)	REPORTD	*****	*****		*****	*****				
	REQRMNT	*****	*****		*****	*****	8.9	UG/L		1/M

Additional Permit Requirements (Outfall 001):

Comments:

PERMITTED FACILITY

Robinson Terminal South Robinson Landing
4800 Hampden Lane Ste 300, Bethesda MD 20814
Permit Number: VAG830512

**COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY
PETROLEUM DISCHARGE PERMIT
DISCHARGE MONITORING REPORT (DMR)**

RETURN TO

Department of Environmental Quality
Northern Regional Office
13901 Crown Court, Woodbridge VA 22193
(703) 583-3800

NOTE: READ PERMIT AND GENERAL INSTRUCTIONS BEFORE
COMPLETING THIS FORM AND RETURNING IT.

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

BYPASS AND OVERFLOWS		
TOTAL OCCURRENCES	TOTAL FLOW(M.G.)	TOTAL BOD5(K.G.)

OPERATOR IN RESPONSIBLE CHARGE			DATE		
TYPED OR PRINTED NAME	SIGNATURE	CERTIFICATE NO.	YEAR	MO.	DAY
PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE			
TYPED OR PRINTED NAME	SIGNATURE		YEAR	MO.	DAY

This report is required by your VPDES permit and by law. (See, e.g., the Code of Virginia of 1950 §62.1-44.5 and 9 VAC 25-31-50.) Failure to report or failure to report truthfully can result in civil penalties of \$32,500 per violation, per day and felony prosecutions which can carry a 15 year term.

DISCHARGE MONITORING REPORT (DMR) - GENERAL INSTRUCTIONS

1. Complete this form in permanent ink or indelible pencil. The use of 'correction fluid/tape' is not allowed.
2. Be sure to enter the dates for the first and last day of the period covered by the report on the form in the space marked "Monitoring Period".
3. For those parameters where the "permit requirement" spaces have a requirement or limitation, provide data in the "reported" spaces in accordance with your permit.
4. Enter the average and maximum quantities and units in the "reported" spaces in the columns marked "Quantity or Loading". $KG/DAY = Concentration (mg/L) \times Flow (MGD) \times 3.785 G/D (Grams/Day) = Concentration (mg/L) \times Flow (MGD) \times 3785$
5. Enter maximum, minimum, and/or average concentrations and units in the "reported" spaces in the columns marked "Quality or Concentration".
6. For all parameters enter the number of samples which do not comply with the maximum and/or minimum permit requirements in the "reported" space in the column marked "No. Ex." (Number of Exceedances). If none, enter "0". Do NOT include monthly average violations in this field. Include any Maximum 7-Day Average and Maximum Weekly Average violations in this field. Permittees with continuous pH, or temperature monitoring requirements should consult the permit for what constitutes an exceedance and report accordingly.
7. You are required to sample (at a minimum) according to the Sample Frequencies and Sample Types specified in your permit.
8. Enter the actual frequency of analysis for each parameter (number of times per day, week, month, etc.) in the "reported" space in the column marked "Frequency of Analysis".
9. Enter the actual type of sample (Grab, 8HC, 24HC, etc) collected for each parameter in the "reported" space in the column marked "Sample Type".
10. Enter additional required data or comments in the space marked "additional permit requirements or comments". If additional required data or comments are appended to the DMR, reference appended correspondence in this field.
11. Record the number of bypasses during the month, the total flow in million gallons (MG) and BOD5 in kilograms (KG) in the proper columns in the section marked "Bypasses and Overflows".
12. The operator in responsible charge of the facility should review the form and sign in the space provided. If the plant is required to have a licensed operator or if the operator in responsible charge of the facility is a licensed operator, the operator's signature and certificate number must be reported in the spaces provided.
13. The principal executive officer then reviews the form and must sign in the space provided and provide a telephone number where he/she can be reached. The final page of the DMR must have an original signature.
14. Send the completed form(s) with original signatures to your Department of Environmental Quality Regional Office by the 10th of each month unless otherwise specified in the permit.
15. You are required to retain a copy of the report for your records.
16. Where violations of permit requirements are reported, attach a brief explanation in accordance with the permit requirements describing causes and corrective actions taken. Reference each separate violation by date.
17. If you have any questions, contact the Department of Environmental Quality Regional Office listed on the DMR.



COMMONWEALTH of VIRGINIA

General Permit No.: VAG830512
Effective Date: February 26, 2018
Expiration Date: February 25, 2023

VPDES GENERAL PERMIT FOR DISCHARGES FROM PETROLEUM CONTAMINATED
SITES, GROUNDWATER REMEDIATION, AND HYDROSTATIC TESTS
AUTHORIZATION TO DISCHARGE UNDER THE VIRGINIA POLLUTANT DISCHARGE
ELIMINATION SYSTEM PERMIT PROGRAM AND THE VIRGINIA STATE WATER CONTROL
LAW

In compliance with the provisions of the Clean Water Act, as amended, the State Water Control Law and regulations adopted pursuant thereto, the owner is authorized to discharge to surface waters within the boundaries of the Commonwealth of Virginia, except to designated public water supplies or waters specifically named in other board regulations which prohibit such discharges.

The authorized discharge shall be in accordance with the information submitted with the registration statement, this cover page, Part I - Effluent Limitations and Monitoring Requirements, and Part II - Conditions Applicable to All VPDES Permits, as set forth in this general permit.

If there is any conflict between the requirements of a board approved cleanup plan and this permit, the requirements of this permit shall govern.

Part I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS.

1. CONTAMINATION BY PETROLEUM PRODUCTS OTHER THAN GASOLINE -- ALL RECEIVING WATERS.

During the period beginning with the permittee's coverage under this general permit and lasting until the permit's expiration date, the permittee is authorized to discharge from outfall serial number 001. Samples taken in compliance with the monitoring requirements specified below shall be taken at the following location: outfall from the final treatment unit prior to mixing with any other waters.

Such discharges shall be limited and monitored by the permittee as specified below:

EFFLUENT CHARACTERISTICS	DISCHARGE LIMITATIONS		MONITORING REQUIREMENTS	
	Instantaneous Minimum	Instantaneous Maximum	Frequency	Sample Type
Flow (GPD)	NA	NL	(4)	Estimate
Naphthalene ($\mu\text{g/l}$) ⁽¹⁾	NA	8.9	(4)	Grab
Total Petroleum Hydrocarbons (mg/l) ⁽²⁾	NA	15.0	(4)	Grab
pH (standard units)	6.0	9.0	(4)	Grab
Benzene ($\mu\text{g/l}$) ⁽³⁾	NA	12.0	2/Month ⁽⁴⁾	Grab
MTBE (methyl tert-butyl ether) ($\mu\text{g/l}$) ⁽³⁾	NA	15.0	2/Month ⁽⁴⁾	Grab

NL = No limitation, monitoring required

NA = Not applicable

⁽¹⁾Naphthalene shall be analyzed by a current and appropriate EPA Wastewater Method from 40 CFR Part 136 or a current and appropriate EPA SW 846 Method.

⁽²⁾TPH shall be analyzed using EPA SW 846 Method 8015C (2000) or EPA SW 846 Method 8015C (2007) for diesel range organics, or by EPA SW 846 Method 8270D (2014).

⁽³⁾Monitoring for benzene and MTBE is only required for discharges into freshwaters listed as public water supplies. Benzene and MTBE shall be analyzed according to a current and appropriate EPA Wastewater Method (40 CFR Part 136) or EPA SW 846 Method.

⁽⁴⁾The monitoring frequency for discharges into freshwaters not listed as public water supplies and saltwater shall be once per month.

The monitoring frequency for discharges into freshwaters listed as public water supplies shall be twice per month for all constituents or parameters. If the first 12 months of permit coverage results demonstrate full compliance with the effluent limitations, the permittee may request that the monitoring frequency be reduced to once per month. The written request shall be sent to the appropriate DEQ regional office for review. Upon written notification from the regional office, the monitoring frequency for ethanol may be reduced to 1/quarter or the other parameters to 1/month. Should the permittee be issued a warning letter related to violation of effluent limitations or a notice of violation or be the subject of an active enforcement action,

Permit No. VAG830512

Part I

Page 2 of 4

monitoring frequency shall revert to 2/month upon issuance of the letter or notice or execution of the enforcement action and remain in effect until the permit's expiration date.

B. Special conditions.

1. There shall be no discharge of floating solids or visible foam in other than trace amounts.
2. The permittee shall sample each permitted outfall each calendar month in which a discharge occurs. When no discharge occurs from an outfall during a calendar month, the discharge monitoring report for that outfall shall be submitted indicating "No Discharge."
3. Operation and maintenance (O&M) manual. If the permitted discharge is through a treatment works, within 30 days of coverage under this general permit, the permittee shall develop and maintain on-site, an O&M manual for the treatment works permitted in this general permit. This manual shall detail practices and procedures that will be followed to ensure compliance with the requirements of this permit. The permittee shall operate the treatment works in accordance with the O&M manual. The manual shall be made available to the department upon request.
4. Operation schedule. The permittee shall construct, install and begin operating the treatment works described in the registration statement prior to discharging to surface waters. The permittee shall notify the department's regional office within five days after the completion of installation and commencement of operation.
5. Materials storage. Except as expressly authorized by this permit or another permit issued by the board, no product, materials, industrial wastes, or other wastes resulting from the purchase, sale, mining, extraction, transport, preparation, or storage of raw or intermediate materials, final product, by-product or wastes, shall be handled, disposed of, or stored so as to permit a discharge of such product, materials, industrial wastes, or other wastes to state waters.
6. If the permittee discharges to surface waters through an MS4, the permittee shall, within 30 days of coverage under this general permit, notify the owner of the municipal separate storm sewer system in writing of the existence of the discharge and provide the following information: the name of the facility, a contact person and telephone number, the location of the discharge, the nature of the discharge, and the facility's VPDES general permit number. A copy of such notification shall be provided to the department. Discharge Monitoring Reports (DMRs) required to be submitted under this permit shall be submitted to both the department and the owner of the municipal separate storm sewer system.
7. Monitoring results shall be reported using the same number of significant digits as listed in the permit. Regardless of the rounding convention used by the permittee (e.g., five always rounding up or to the nearest even number), the permittee shall use the convention consistently and shall ensure that consulting laboratories employed by the permittee use the same convention.
8. The discharges authorized by this permit shall be controlled as necessary to meet applicable water quality standards.
9. Approval for coverage under this general permit does not relieve any owner of the responsibility to comply with any other federal, state, or local statute, ordinance, or regulation.
10. Discharges to waters with an approved TMDL. Owners of facilities that are a source of the specified pollutant of concern to waters where an approved TMDL has been established shall implement measures and controls that are consistent with the assumptions and requirements of the TMDL.
11. Termination of coverage. Provided that the board agrees that the discharge covered under this general permit is no longer needed, the permittee may request termination of coverage under the general permit, for the entire facility or for specific outfalls, by submitting a request for termination of coverage. This request for termination of coverage shall be sent to the department's regional office with appropriate documentation or references to documentation

already in the department's possession. Upon the permittee's receipt of the regional director's approval, coverage under this general permit will be terminated. Termination of coverage under this general permit does not relieve the permittee of responsibilities under other board regulations or directives.

12. The permittee shall notify the department as soon as the permittee knows or has reason to believe:

a. That any activity has occurred or will occur that would result in the discharge, on a routine or frequent basis, of any toxic pollutant that is not limited in this permit if that discharge will exceed the highest of the following notification levels:

(1) One hundred micrograms per liter;

(2) Two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter for antimony;

(3) Five times the maximum concentration value reported for that pollutant in the general permit registration statement; or

(4) The level established by the board.

b. That any activity has occurred or will occur that would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant that is not limited in this permit if that discharge will exceed the highest of the following notification levels:

(1) Five hundred micrograms per liter;

(2) One milligram per liter for antimony;

(3) Ten times the maximum concentration value reported for that pollutant in the general permit registration statement; or

(4) The level established by the board.

Part II
Conditions Applicable to All VPDES Permits

A. Monitoring.

1. Samples and measurements taken as required by this permit shall be representative of the monitored activity.
2. Monitoring shall be conducted according to procedures approved under 40 CFR Part 136 or alternative methods approved by the U.S. Environmental Protection Agency, unless other procedures have been specified in this permit.
3. The permittee shall periodically calibrate and perform maintenance procedures on all monitoring and analytical instrumentation at intervals that will ensure accuracy of measurements.
4. Samples taken as required by this permit shall be analyzed in accordance with 1VAC30-45, Certification for Noncommercial Environmental Laboratories, or 1VAC30-46, Accreditation for Commercial Environmental Laboratories.

B. Records.

1. Records of monitoring information shall include:
 - a. The date, exact place, and time of sampling or measurements;
 - b. The individuals who performed the sampling or measurements;
 - c. The dates and times analyses were performed;
 - d. The individual or individuals who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.
2. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation; copies of all reports required by this permit; and records of all data used to complete the registration statement for this permit for a period of at least three years from the date of the sample, measurement, report or request for coverage. This period of retention shall be extended automatically during the course of any unresolved litigation regarding the regulated activity or regarding control standards applicable to the permittee, or as requested by the board.

C. Reporting monitoring results.

1. The permittee shall submit the results of the monitoring required by this permit not later than the 10th day of the month after monitoring takes place unless another reporting schedule is specified elsewhere in this permit. Monitoring results shall be submitted to the department's regional office.
2. Monitoring results shall be reported on a Discharge Monitoring Report (DMR) or on forms provided, approved or specified by the department.
3. If the permittee monitors any pollutant specifically addressed by this permit more frequently than required by this permit using test procedures approved under 40 CFR Part 136 or using other test procedures approved by the U.S. Environmental Protection Agency or using procedures specified in this permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or reporting form specified by the department.

4. Calculations for all limitations that require averaging of measurements shall utilize an arithmetic mean unless otherwise specified in this permit.

D. Duty to provide information. The permittee shall furnish to the department, within a reasonable time, any information which the board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The board may require the permittee to furnish, upon request, such plans, specifications, and other pertinent information as may be necessary to determine the effect of the wastes from his discharge on the quality of state waters or such other information as may be necessary to accomplish the purposes of the State Water Control Law. The permittee shall also furnish to the department upon request copies of records required to be kept by this permit.

E. Compliance schedule reports. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.

F. Unauthorized discharges. Except in compliance with this permit or another permit issued by the board, it shall be unlawful for any person to:

1. Discharge into state waters sewage, industrial wastes, other wastes, or any noxious or deleterious substances; or

2. Otherwise alter the physical, chemical or biological properties of such state waters and make them detrimental to the public health, to animal or aquatic life, to the use of such waters for domestic or industrial consumption, for recreation, or for other uses.

G. Reports of unauthorized discharges. Any permittee that discharges or causes or allows a discharge of sewage, industrial waste, other wastes or any noxious or deleterious substance into or upon state waters in violation of Part II F or that discharges or causes or allows a discharge that may reasonably be expected to enter state waters in violation of Part II F shall notify the department of the discharge immediately upon discovery of the discharge, but in no case later than 24 hours after the discovery. A written report of the unauthorized discharge shall be submitted to the department within five days of discovery of the discharge. The written report shall contain:

1. A description of the nature and location of the discharge;

2. The cause of the discharge;

3. The date on which the discharge occurred;

4. The length of time that the discharge continued;

5. The volume of the discharge;

6. If the discharge is continuing, how long it is expected to continue;

7. If the discharge is continuing, what the expected total volume of the discharge will be; and

8. Any steps planned or taken to reduce, eliminate, and prevent a recurrence of the present discharge or any future discharges not authorized by this permit.

Discharges reportable to the department under the immediate reporting requirements of other regulations are exempted from this requirement.

H. Reports of unusual or extraordinary discharges. If any unusual or extraordinary discharge including a bypass or upset should occur from a treatment works and the discharge enters or could be expected to enter state waters, the permittee shall promptly notify, in no case later than 24 hours, the department by telephone after the discovery of the discharge. This notification shall provide all available details of the incident, including

any adverse effects on aquatic life and the known number of fish killed. The permittee shall reduce the report to writing and shall submit the report to the department within five days of discovery of the discharge in accordance with Part II I 1 b. Unusual and extraordinary discharges include any discharge resulting from:

1. Unusual spillage of materials resulting directly or indirectly from processing operations;
2. Breakdown of processing or accessory equipment;
3. Failure or taking out of service some or all of the treatment works; and
4. Flooding or other acts of nature.

I. Reports of noncompliance.

1. The permittee shall report any noncompliance that may adversely affect state waters or may endanger public health.

a. An oral report shall be provided within 24 hours from the time the permittee becomes aware of the circumstances. The following shall be included as information, which shall be reported within 24 hours under this subsection:

- (1) Any unanticipated bypass; and
- (2) Any upset which causes a discharge to surface waters.

b. A written report shall be submitted within five days and shall contain:

- (1) A description of the noncompliance and its cause;
- (2) The period of noncompliance including exact dates and times and, if the noncompliance has not been corrected, the anticipated time it is expected to continue; and
- (3) Steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

The board may waive the written report on a case-by-case basis for reports of noncompliance under Part II I if the oral report has been received within 24 hours and no adverse impact on state waters has been reported.

2. The permittee shall report all instances of noncompliance not reported under Part II I 1, in writing, at the time the next monitoring reports are submitted. The reports shall contain the information listed in Part II I 1 b.

NOTE: The immediate (within 24 hours) reports required in Part II G, H and I may be made to the department's regional office. Reports may be made by telephone, FAX, or online at <http://www.deq.virginia.gov/Programs/PollutionResponsePreparedness/PollutionReportingForm.aspx>. For reports outside normal working hours, leave a message and this shall fulfill the immediate reporting requirement. For emergencies, the Virginia Department of Emergency Services maintains a 24-hour telephone service at 1-800-468-8892.

3. Where the permittee becomes aware that it failed to submit any relevant facts in a permit registration statement or submitted incorrect information in a permit registration statement or in any report to the department, it shall promptly submit such facts or information.

J. Notice of planned changes.

1. The permittee shall give notice to the department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:

a. The permittee plans an alteration or addition to any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced:

(1) After promulgation of standards of performance under § 306 of the Clean Water Act which are applicable to such source; or

(2) After proposal of standards of performance in accordance with § 306 of the Clean Water Act which are applicable to such source, but only if the standards are promulgated in accordance with § 306 of the Act within 120 days of their proposal;

b. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants that are subject neither to effluent limitations nor to notification requirements under Part I B 12; or

c. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit registration process or not reported pursuant to an approved land application plan.

2. The permittee shall give advance notice to the department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

K. Signatory requirements.

1. Registration statement. All registration statements shall be signed as follows:

a. For a corporation: by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-making or decision-making functions for the corporation or (ii) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions that govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long-term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or

c. For a municipality, state, federal, or other public agency: by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a public agency includes (i) the chief executive officer of the agency or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.

2. Reports. All reports required by permits, and other information requested by the board shall be signed by a person described in Part II K 1, or by a duly authorized representative of that person. A person is a duly authorized representative only if:

a. The authorization is made in writing by a person described in Part II K 1;

b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the

company. A duly authorized representative thus may be either a named individual or any individual occupying a named position; and

c. The written authorization is submitted to the department.

3. Changes to authorization. If an authorization under Part II K 2 is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of Part II K 2 shall be submitted to the department prior to or together with any reports or information to be signed by an authorized representative.

4. Certification. Any person signing a document under Part II K 1 or 2 shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. Duty to comply. The permittee shall comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the State Water Control Law and the Clean Water Act, except that noncompliance with certain provisions of this permit may constitute a violation of the State Water Control Law but not the Clean Water Act. Permit noncompliance is grounds for enforcement action; for permit coverage termination or denial of permit coverage renewal.

The permittee shall comply with effluent standards or prohibitions established under § 307(a) of the Clean Water Act for toxic pollutants and with standards for sewage sludge use or disposal established under § 405(d) of the Clean Water Act within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if this permit has not yet been modified to incorporate the requirement.

M. Duty to reapply. If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee shall submit a new registration statement at least 30 days before the expiration date of the existing permit, unless permission for a later date has been granted by the board. The board shall not grant permission for registration statements to be submitted later than the expiration date of the existing permit.

N. Effect of a permit. This permit does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorize any injury to private property or invasion of personal rights, or any infringement of federal, state or local law or regulations.

O. State law. Nothing in this permit shall be construed to preclude the institution of any legal action under, or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any other state law or regulation or under authority preserved by § 510 of the Clean Water Act. Except as provided in permit conditions on "bypassing" (Part II U) and "upset" (Part II V), nothing in this permit shall be construed to relieve the permittee from civil and criminal penalties for noncompliance.

P. Oil and hazardous substance liability. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities,

liabilities, or penalties to which the permittee is or may be subject under Article 11 (§ 62.1-44.34:14 et seq.) of the State Water Control Law.

Q. Proper operation and maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes effective plant performance, adequate funding, adequate staffing, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems that are installed by the permittee only when the operation is necessary to achieve compliance with the conditions of this permit.

R. Disposal of solids or sludges. Solids, sludges, or other pollutants removed in the course of treatment or management of pollutants shall be disposed of in a manner so as to prevent any pollutant from such materials from entering state waters.

S. Duty to mitigate. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit that has a reasonable likelihood of adversely affecting human health or the environment.

T. Need to halt or reduce activity not a defense. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

U. Bypass.

1. "Bypass" means the intentional diversion of waste streams from any portion of a treatment facility. The permittee may allow any bypass to occur that does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of Part II U 2 and 3.

2. Notice.

a. Anticipated bypass. If the permittee knows in advance of the need for a bypass, prior notice shall be submitted, if possible, at least 10 days before the date of the bypass.

b. Unanticipated bypass. The permittee shall submit notice of an unanticipated bypass as required in Part II I.

3. Prohibition of bypass.

a. Bypass is prohibited, and the board may take enforcement action against a permittee for bypass, unless:

(1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;

(2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and

(3) The permittee submitted notices as required under Part II U 2.

b. The board may approve an anticipated bypass, after considering its adverse effects, if the board determines that it will meet the three conditions listed in Part II U 3 a.

V. Upset.

1. An upset constitutes an affirmative defense to an action brought for noncompliance with technology-based permit effluent limitations if the requirements of Part II V 2 are met. A determination made during administrative review of claims that noncompliance was caused by upset and before an action for noncompliance is not a final administrative action subject to judicial review.

2. A permittee who wishes to establish the affirmative defense of upset shall demonstrate through properly signed, contemporaneous operating logs or other relevant evidence that:

- a. An upset occurred and that the permittee can identify the cause or causes of the upset;
- b. The permitted facility was at the time being properly operated;
- c. The permittee submitted notice of the upset as required in Part II I; and
- d. The permittee complied with any remedial measures required under Part II S.

3. In any enforcement proceeding, the permittee seeking to establish the occurrence of an upset has the burden of proof.

W. Inspection and entry. The permittee shall allow the director or an authorized representative, including an authorized contractor acting as a representative of the administrator, upon presentation of credentials and other documents as may be required by law, to:

1. Enter upon the permittee's premises where a regulated facility or activity is located or conducted or where records must be kept under the conditions of this permit;
2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
3. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
4. Sample or monitor at reasonable times, for the purposes of ensuring permit compliance or as otherwise authorized by the Clean Water Act and the State Water Control Law any substances or parameters at any location.

For purposes of this section, the time for inspection shall be deemed reasonable during regular business hours or whenever the facility is discharging. Nothing contained in this general permit shall make an inspection unreasonable during an emergency.

X. Permit actions. Permit coverage may be terminated for cause. The filing of a request by the permittee for permit coverage termination or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Y. Transfer of permit coverage.

1. Permit coverage is not transferable to any person except after notice to the department.
2. Coverage under this permit may be automatically transferred to a new permittee if:
 - a. The current permittee notifies the department within 30 days of the transfer of the title to the facility or property;
 - b. The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibility, coverage, and liability between them; and
 - c. The board does not notify the existing permittee and the proposed new permittee of its intent to deny permit coverage. If this notice is not received, the transfer is effective on the date specified in the agreement mentioned in Part II Y 2 b.

Z. Severability. The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid,

the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

X. Permit actions. Permits may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

Y. Transfer of permits.

1. Permits are not transferable to any person except after notice to the department. Except as provided in Part II Y 2, a permit may be transferred by the permittee to a new owner or operator only if the permit has been modified or revoked and reissued, or a minor modification made, to identify the new permittee and incorporate such other requirements as may be necessary under the State Water Control Law and the Clean Water Act.

2. As an alternative to transfers under Part II Y 1, this permit may be automatically transferred to a new permittee if:

- a. The current permittee notifies the department within 30 days of the transfer of the title to the facility or property;
- b. The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibility, coverage, and liability between them; and
- c. The board does not notify the existing permittee and the proposed new permittee of its intent to modify or revoke and reissue the permit. If this notice is not received, the transfer is effective on the date specified in the agreement mentioned in Part II Y 2 b.

Z. Severability. The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

TERMINATION OF COVERAGE REQUEST

General VPDES Permit for Petroleum Contaminated Sites, Groundwater Remediation, and Hydrostatic Tests (VAG83)

Date: _____

Attn: _____
(fill in name of Regional Case Manager)

Permit Registration #: VAG83_____

Site Name: _____
(please match facility name listed on the Registration Statement)

Please denote your termination of coverage request by placing an "x" in front of either request 1 or 2 below (do not place an "x" in front of both requests).

1. _____ I hereby request termination of coverage under the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation, and Hydrostatic Tests for all discharges from the facility listed above.

2. _____ I hereby request termination of coverage under the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation, and Hydrostatic Tests for the outfalls listed below:

Outfall Number	Outfall Description
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Signature: _____ Date: _____

Print Name: _____

Title: _____

FOR DEQ USE ONLY Termination request accepted / not accepted (please circle decision) by: _____ Date: _____
